

Scan results for **helphopelive.org**

Accessible

Congratulations! Your webpage is accessible with a score above 85. We'd love to work with you to help close any remaining accessibility gaps.

Wed Jul 1, 2026



accessWidget is detected on the website

#	Element	Relevant	Successes	Failures	Score
1	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	15	0	100

Code snapshots of successful elements

```
1 
```

```
2 
```

```
3 
```

```
4 
```

```
5 
```

```
6 
```

```
7 
```

8 <div id="page"> <div class="page-header page-
-header__hero bkg-img lazyloaded data-back="https://ik.imagekit.io/si8wvxbpw
m/wp-content/uploads/2021/04/HHL-HomePageHeader-resized.jpg"> <div class="co
ntainer"> <div class="...
```

```
2 <div id="page"> <div class="page-header page-header__hero bkg-img lazyloaded
data-back="https://ik.imagekit.io/si8wvxbpwm/wp-content/uploads/2021/04/HHL-
HomePageHeader-resized.jpg"> <div class="container"> <div class="page-header
__hero-message"> <h1 ...
```

```
3 <div class="page-header page-header__hero bkg-img lazyloaded data-back="http
s://ik.imagekit.io/si8wvxbpwm/wp-content/uploads/2021/04/HHL-HomePageHeader-
resized.jpg"> <div class="container"> <div class="page-header__hero-messag
e"> <h1 class="xl-sans w...
```

```
4 <div class="page-header__hero-message"> <h1 class="xl-sans white role="headi
ng" aria-level="1"> Medical fundraising for the expenses insurance doesn't c
over </h1> <div class="page-header__content-links"> <a class="btn btn-white-
o" href="/get-started/...
```

```
5 <h1 class="xl-sans white role="heading" aria-level="1"> Medical fundraising
for the expenses insurance doesn't cover </h1>
```

```
6 <div class="page-header__content-links"> <a class="btn btn-white-o" href="/g
et-started/" data-custom-button-processed="true"> GET STAR
TED <span class="arrow style=";background-color:#ffffff!important;color:#000000!important;"...
```

```
7 <a class="btn btn-white-o" href="/get-started/" data-custom-button-processed
="true"> GET STARTED <span class="arrow style=";bac
kground-color:#ffffff!important;color:#000000!important;"><i aria-hidden="tr
ue"><svg data-name="ar...
```

8 `<span class="text"> GET STARTED</span>`

9 `<span class="arrow style=";background-color:#ffffff!important;color:#000000!important;"><i aria-hidden="true"><svg data-name="arrow-right" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 15 12" width="11px" height="9px"> <title class="acsb-contrast" ...`

10 `<main class="main" role="presentation"> <section class="main-content"> <section class="fw-color-split watch fade-in in-view view-locked"> <div class="fw-color-split__callout _teal point-right"> <div class="fw-color-split__callout-inner max-content"> <...`

| # | Element                                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available. | Yes      | 125       | 0        | 100   |

### Code snapshots of successful elements

1 `<body aria-hidden="true"></body>`

2 `<iframe role="presentation" srcdoc="&lt;html lang=&quot;en&quot;&gt;&lt;head&gt;&lt;title&gt;apiSanitizer&lt;/title&gt;&lt;/head&gt;&lt;/body&gt;&lt;/html&gt;" style="visibility: hidden; pointer-events: none; position: fixed;"></iframe>`

3 `<div class="acsb-trigger"></div>`

4 `<div></div>`

5 `<i aria-hidden="true"><svg data-name="arrow-right" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 15 12" width="11px" height="9px"> <title class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Arrow Right Icon</t...`

6 `<div class="row footer-mobile" style="margin-bottom: 20px;"> <a class="btn btn-white-o btn-pad-1 donate-btn" href="/donate/" tabindex="-1" data-custom-button-processed="true">Donate</a> </div>`

7 `<a class="btn btn-white-o btn-pad-1 donate-btn" href="/donate/" tabindex="-1" data-custom-button-processed="true">Donate</a>`

8 `<button class="btn btn-pad-1 btn-teal toggle-newsletter" type="button" tabindex="-1" data-custom-button-processed="true">Join Mailing List</button>`

```
9
```

| # | Element                                                                                                              | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose. | Yes      | 4         | 0        | 100   |

#### Code snapshots of successful elements

```
1 <button type="button" class="button btn btn-teal-o toggle-newsletter style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Sign Up</button>
```

```
2 About
```

```
3 Shop
```

```
4 <button data-custom-button-processed="true" type="submit" aria-label="search"><i class="fa fa-search" aria-hidden="true"></i></button>
```

| # | Element                                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions. | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

1 `<button type="button" class="button btn btn-teal-o toggle-newsletter style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Sign Up</button>`

2 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link data-custom-button-processed="true" role="button"><span itemprop="name" class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">About</span></a>`

3 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link data-custom-button-processed="true" role="button"><span itemprop="name" class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Shop</span></a>`

4 `<button data-custom-button-processed="true" type="submit" aria-label="search"><i class="fa fa-search" aria-hidden="true"></i></button>`

| # | Element                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <svg class="logo-type" width="200px" height="76p...
```

| # | Element                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context. | Yes      | 41        | 0        | 100   |

### Code snapshots of successful elements

1 `<a class="btn btn-white-o" href="/get-started/" data-custom-button-processed="true"><span class="text"> GET STARTED</span> <span class="arrow style=";background-color:#ffffff!important;color:#000000!important;"><i aria-hidden="true"><svg data-name="ar...`

2 `<a href="about/our-advantage/#one-on-one-support" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Personal Guidance</span></a>`

3 `<a href="about/our-advantage/#online-campaign-page" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Online Donation Page</span></a>`

4 `<a href="about/our-advantage/#non-profit-status" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Nonprofit Status</span></a>`

5 `<a href="about/our-advantage/#keep-your-medicaid" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Keep Your Medicaid</span></a>`

6 `<a href="about/our-advantage/#help-paying-your-bills" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Help Paying Your Bills</span>...`

7 `<a href="/campaign/26909/" class="cover" data-custom-button-processed="true" aria-label="Donate to southwest catastrophic illness fund in honor of ashley clifford"></a>`

8 `<a href="/campaign/27287/" class="cover" data-custom-button-processed="true" aria-label="Donate to southwest catastrophic injury fund in honor of stephen nangeroni"></a>`

9 `<a href="/campaign/26700/" class="cover" data-custom-button-processed="true" aria-label="Donate to south-central transplant fund in honor of marcus marr s"></a>`

10 `<a href="https://www.facebook.com/helpopeliveorg/" class="cover" target="_blank" rel="noopener" data-custom-button-processed="true" aria-labelledby="sro-db8r85sv" aria-label="Facebook"><span id="sro-db8r85sv" style="position: absolute !important; wi...`

| # | Element                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination. | Yes      | 41        | 0        | 100   |

### Code snapshots of successful elements

1 `<a class="btn btn-white-o" href="/get-started/" data-custom-button-processed="true"><span class="text"> GET STARTED</span> <span class="arrow style=";background-color:#ffffff!important;color:#000000!important;"><i aria-hidden="true"><svg data-name="ar...`

2 `<a href="about/our-advantage/#one-on-one-support" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Personal Guidance</span></a>`

3 `<a href="about/our-advantage/#online-campaign-page" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Online Donation Page</span></a>`

4 `<a href="about/our-advantage/#non-profit-status" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Nonprofit Status</span></a>`

5 `<a href="about/our-advantage/#keep-your-medicaid" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Keep Your Medicaid</span></a>`

6 `<a href="about/our-advantage/#help-paying-your-bills" class="fw-color-split__list-item" data-custom-button-processed="true"><span class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Help Paying Your Bills</span>...`

7 `<a href="/campaign/26909/" class="cover" data-custom-button-processed="true" aria-label="Donate to southwest catastrophic illness fund in honor of ashley clifford"></a>`

8 `<a href="/campaign/27287/" class="cover" data-custom-button-processed="true" aria-label="Donate to southwest catastrophic injury fund in honor of stephen nangeroni"></a>`

9 `<a href="/campaign/26700/" class="cover" data-custom-button-processed="true" aria-label="Donate to south-central transplant fund in honor of marcus marr s"></a>`

10 `<a href="https://www.facebook.com/helphopeliveorg/" class="cover" target="_blank" rel="noopener" data-custom-button-processed="true" aria-labelledby="sro-db8r85sv" aria-label="Facebook"><span id="sro-db8r85sv" style="position: absolute !important; wi...`

| # | Element                                                                                                                                                                                                                                                                                                                                                                                                  | Relevant | Successes | Failures | Score |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification. | Yes      | 3         | 0        | 100   |

### Code snapshots of successful elements

1 `<a class="btn btn-white-o" href="about/our-advantage/" data-custom-button-processed="true" aria-label="LEARN MORE | Nonprofit charitable organization - our advantage - help hope live | OUR ADVANTAGE - Unique Nonprofit Benefits">  
<span class="text"> LEA...`

2 `<a class="btn btn-teal-o" href="/impact/" data-custom-button-processed="true" aria-label="SEE MORE IMPACT | Donations help those who need financial assistance - help hope live | Our IMPACT - Over $194 Million Raised to Help with Medical Costs & M...`

3 `<a class="btn btn-teal-o" href="https://helphopelive.org/robdrescher/" data-custom-button-processed="true" aria-label="READ ROB'S STORY | "people are good": discovering the true power of community support | Rob Drescher , catastrophic injury campaign...`

| #  | Element                                                                                                                                                                                                                                                       | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <form id="find-campaign" class="secondary-nav__search _gray-light method="post" style=";background-color:#ffffff!important;color:#000000!important;"> <div> <div class="input-group"> <div class="input-group__button"> <button data-custom-button-process...
```

| #  | Element                                                                                                                                            | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <button data-custom-button-processed="true" type="submit" aria-label="search"><i class="fa fa-search" aria-hidden="true"></i></button>
```

| #  | Element                                                                                                                     | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions. | Yes      | Pass      | -        | 100   |

Code snapshots of successful elements

1

```
<div class="navigation__primary" role="navigation" aria-label="Header Menu">
<ul id="menu-main-menu" itemscope="" itemtype="http://www.schema.org/SiteNavigationElement" aria-label="Main Menu"><li id="menu-item-4669" class="menu-item menu-item-type-po...
```

#	Element	Relevant	Successes	Failures	Score
13	A navigation landmark should identify a section that contains primary links for moving through the site or page. Using navigation landmarks for minor or secondary link groups makes it harder for screen reader users to locate the page's key navigation areas.	Yes	4	0	100

### Code snapshots of successful elements

```
1 <div class="row global-footer__social" role="navigation" aria-label="Footer Menu"> <div class="social-media"> <button class="btn btn-pad-1 btn-teal toggle-newsletter" type="button" tabindex="-1" data-custom-button-processed="true">Join Mailing List</...>
```

```
2 <div class="global-footer__info white" role="navigation" aria-label="Help Hope Live"> <div class="global-footer__contact"> <p class="footer_name role="heading" aria-level="4"> Help Hope Live </p> <p class="white"> 2 Radnor Corporate Center, Suite 100<...>
```

```
3 <div class="navigation__primary" role="navigation" aria-label="Header Menu"> <ul id="menu-main-menu" itemscope="" itemtype="http://www.schema.org/SiteNavigationElement" aria-label="Main Menu"><li id="menu-item-4669" class="menu-item menu-item-type-po...>
```

```
4 <div class="container-fluid" role="navigation" aria-label="Header Menu"> <form id="find-campaign" class="secondary-nav__search _gray-light method="post" style="background-color:#ffffff!important;color:#000000!important;"> <div> <div class="input-gro...>
```

#	Element	Relevant	Successes	Failures	Score
14	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <main class="main" role="main"> <div id="page"> <div class="page-header page
-header__hero bkg-img lazyloaded data-back="https://ik.imagekit.io/si8wvxbpw
m/wp-content/uploads/2021/04/HHL-HomePageHeader-resized.jpg"> <div class="co
ntainer"> <div class="...
```

#	Element	Relevant	Successes	Failures	Score
15	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <main class="main" role="main"> <div id="page"> <div class="page-header page
-header__hero bkg-img lazyloaded data-back="https://ik.imagekit.io/si8wvxbpw
m/wp-content/uploads/2021/04/HHL-HomePageHeader-resized.jpg"> <div class="co
ntainer"> <div class="...
```

#	Element	Relevant	Successes	Failures	Score
16	Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <html class="js id="acsb-light-contrast" style="--acsb-keynav: 3px;"><head>
 <meta name="google-site-verification" content="gWmzf13CR2RPR2s2g-pGo0S4a6lm7
 f2r10AZ_Vr0wLg"> <meta name="facebook-domain-verification" content="uem79iz8
 eti7p8qg8qd9dpsflpbhz9...
```

#	Element	Relevant	Successes	Failures	Score
17	The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
18	A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <title>Medical Fundraising Site for Bills and Expenses - Help Hope Live</title>
```

#	Element	Relevant	Successes	Failures	Score
19	Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <title>Medical Fundraising Site for Bills and Expenses - Help Hope Live</title>
```

#	Element	Relevant	Successes	Failures	Score
20	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	Yes	7	0	100

#### Code snapshots of successful elements

1 `<i class="fa fa-facebook" aria-hidden="true"></i>`

2 `<i class="fa fa-instagram style=";background-color:#ffffff!important;color:#000000!important;"></i>`

3 `<i class="fa fa-youtube-play style=";background-color:#ffffff!important;color:#000000!important;"></i>`

4 `<i class="fa fa-phone"></i>`

5 `<a href="#" data-toggle="dropdown" class="dropdown-toggle nav-link data-customer-button-processed="true" role="button"><span itemprop="name" class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">About</span></a>`

6 `<i class="fa fa-search" aria-hidden="true"></i>`

7 `<svg data-name="arrow-right" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 15 12" width="11px" height="9px" role="presentation"> <title class="acsb-contrast" style=";background-color:#ffffff!important;color:#000000!important;">Arrow Right Icon</title></svg>`

#	Element	Relevant	Successes	Failures	Score
21	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	10	0	100

### Code snapshots of successful elements

1 `

#	Element	Relevant	Successes	Failures	Score
22	When non-graphical elements are marked up as images, screen reader users may misunderstand the intended purpose of the content.	Yes	9	0	100

#### Code snapshots of successful elements

1 ``

2 ``

3 ``

4 ``

5 ``

6 ``

7 ``

8  tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page. | No       | 0         | 0        |       |

#	Element	Relevant	Successes	Failures	Score
40	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	A breadcrumb region presents a trail of links showing the user's current page in relation to higher-level pages on a site. Without a label, it may be announced by screen readers simply as "navigation", making it hard to distinguish from other navigation regions on the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Breadcrumb navigation regions are essential for user orientation. If not appropriately tagged, screen reader users will not know that such an option exists on the page and will face more difficulties browsing around.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	Elements with emphasis importance should have the emphasis role. If not, screen reader users may not understand the emphasis of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Discounted prices often appear next to the original and distinguished with visual cues like strikethroughs or color changes. Both prices must also be conveyed by screen readers in a way that enables users to differentiate between the values, ensuring they can understand when a discount is applied.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
50	A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
51	Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
52	Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
53	Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
54	The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
55	Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
56	If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
57	If a table header cell is empty, screen reader users may only hear a generic label such as "column 3" or nothing at all. This makes it harder to understand what each column or row represents.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
58	When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
59	Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
60	If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

## WCAG Best Practices (Not included in score)

#	Element	Relevant	Successes	Failures	Score
1	The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <footer class="global-footer _black-bkg style=";background-color:#ffffff!important;color:#000000!important;"> <div class="container-flex"> <section class="global-footer__content"> <div class="row footer-mobile" style="margin-bottom: 20px;"> <a class=...
```

#	Element	Relevant	Successes	Failures	Score
2	When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <footer class="global-footer _black-bkg style=";background-color:#ffffff!important;color:#000000!important;"> <div class="container-flex"> <section class="global-footer__content"> <div class="row footer-mobile" style="margin-bottom: 20px;"> <a class=...
```

#	Element	Relevant	Successes	Failures	Score
3	Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language.	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <html class="js id="acsb-light-contrast" style="--acsb-keynav: 3px;"><head>
 <meta name="google-site-verification" content="gWmzf13CR2RPR2s2g-pGo0S4a6lm7
 f2r10AZ_Vr0wLg"> <meta name="facebook-domain-verification" content="uem79iz8
 eti7p8qg8qd9dpsflpbhz9...
```

#	Element	Relevant	Successes	Failures	Score
4	Providing a meta viewport to control layout and scaling on mobile devices	Yes	Pass	-	100

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
5	Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context.	Yes	7	1	88

### Code snapshots of successful elements

```
1 <svg class="logo-type" width="200px" height="76p...
```

```
2 <ul class="dropdown-menu depth0 style=";background-color:#ffffff!important;color:#000000!important;"> <li id="menu-item-4670" class="menu-item menu-item-type-post_type menu-item-object-page menu-item-4670 nav-item"><a itemprop="url" href="https://hel...
```

```
3 <ul class="dropdown-menu depth0 style=";background-color:#ffffff!important;color:#000000!important;"> <li id="menu-item-17644" class="menu-item menu-item-type-custom menu-item-object-custom menu-item-17644 nav-item"><a itemprop="url" href="https://he...
```

```
4 <span id="sro-db8r85sv" style="position: absolute !important; wi...
```

```
5 <span id="sro-9wvm4ltb" style="..."
```

```
6 <span id="sro-0ouepav7" style="position: absolute !important; ...
```

```
7 <span id="sro-av02fpzz" style="position: absolute...
```

Code snapshots of failed elements

1

```
<section class="image-callout bkg-cover watch fade-in in-view view-locked lazyloaded data-back="https://ik.imagekit.io/si8wvxbpwm/wp-content/uploads/2021/04/HHL-HomePageFooterImage.jpg" aria-labelledby="sro-w783a191"> <div class="image-callout__panel...
```

#	Element	Relevant	Successes	Failures	Score
6	If an element’s aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
7	The element’s aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
9	It's good practice to warn users about the expected behavior when activating a link triggers a mail application.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
10	It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
11	The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
13	Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience.	No	0	0	

This audit is subject to the [Terms of Service](#)