accessScan

Scan results for **helphopelive.org**

Accessible

Congratulations! Your webpage is accessible with a score above 85. We'd love to work with you to help close any remaining accessibility gaps.

Sun Nov 1, 2026

accessWidget is detected on the website

#	Element	Relevant	Successes	Failures	Score
1	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	43	0	100

Code snapshots of successful elements

```
1  <img width="1100" height="825" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/07/Help-Hope-Live-awning-at-Disability-Pride-PA-Philadelphia.jpg" class="image wp-image-62680 attachment-full size-full" alt="Help Hope Liv...
```

```
2  <img width="269" height="300" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/05/Andrew-McGeady-with-mom-Zinke-and-Rebecca-Koltun-and-Sonny-at-Abilities-Expo-NY-2026-773x1030-e1790368047544-269x300.jpg" class="image wp...
```

```
3  <img width="276" height="300" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2025/05/tile-finish-line-KJ-Henry-Ron-Siggs-Shannon-Magee-e1775513466463-276x300.jpg" class="image wp-image-54438 attachment-medium size-medium" ...
```

```
4  <img width="500" height="375" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/07/Brochures.jpg" class="image wp-image-64363 attachment-full size-full" alt="Exhibition table displaying brochures, flyers, pens, and promo...
```

```
5  <img decoding="async" width="231" height="500" src="https://ik.imagekit.io/si8wvxbpwm/hhl-production/tr:fo-auto,w-500,h-500/media/campaign_pictures/orig/18533/IMG_2074.png" class="card-img-top w-100 wp-post-image" alt="">
```

```
6  <img decoding="async" width="375" height="500" src="https://ik.imagekit.io/si8wvxbpwm/hhl-production/tr:fo-auto,w-500,h-500/media/campaign_pictures/orig/28287/IMG_2386.jpeg" class="card-img-top w-100 wp-post-image" alt="">
```

```
7  <img decoding="async" width="375" height="500" src="https://ik.imagekit.io/si8wvxbpwm/hhl-production/tr:fo-auto,w-500,h-500/media/campaign_pictures/orig/23960/20240601_181632.jpg" class="card-img-top w-100 wp-post-image" alt="">
```

```
<img decoding="async" src="https://helphopelive.org/wp-content/themes/helphopelive/public/img/pledge-figure.jpg" alt="Help Hope Live" style="width: 40px;">
```

```
<img decoding="async" src="https://helphopelive.org/wp-content/themes/helphopelive/public/img/hhl-letters.jpg" alt="Help Hope Live" style="width: 120px;">
```

```
<img loading="lazy" decoding="async" width="1440" height="580" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2024/05/Home-Page-Get-Started-Rachael-Short--1440x580.jpg" class="rounded w-100 wp-image-38219" alt="A photo of ...
```

#	Element	Relevant	Successes	Failures	Score
2	If content remains visible on the screen but assigned aria-hidden="true", it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users.	Yes	388	0	100

Code snapshots of successful elements

1
```
<header id="header" role="banner"> <!-- UTILITY NAV --> <!--<div id="utility
-nav"> <nav class="navbar navbar-light bg-light navbar-expand"> <div class
="container-fluid"> <div class="w-100 d-lg-flex justify-content-lg-end"> </d
iv> </div> </nav> </div>...
```

2
```
<main id="main" role="presentation"> <section class="hero home-hero overlay
role="main"><span role="img" style="position: absolute !important; width: 1p
x !important; height: 1px !important; padding: 0px !important; overflow: hid
den !important; clip: ...
```

3
```
<div class="container"> <div class="campaign-searchbar filters"> <form class
="search-form" role="search" method="get" action="/campaigns/"> <input id="s
earch-field" class="form-control" type="search" name="_search_campaigns" val
ue="" placeholder="Fin...
```

4
```
<div class="campaign-searchbar filters"> <form class="search-form" role="sea
rch" method="get" action="/campaigns/"> <input id="search-field" class="form
-control" type="search" name="_search_campaigns" value="" placeholder="Find
a Campaign..." aria-la...
```

5
```
<form class="search-form" role="search" method="get" action="/campaigns/"> <
input id="search-field" class="form-control" type="search" name="_search_cam
paigns" value="" placeholder="Find a Campaign..." aria-label="Search" aria-i
nvalid="false" aria-re...
```

6
```
<input id="search-field" class="form-control" type="search" name="_search_ca
mpaigns" value="" placeholder="Find a Campaign..." aria-label="Search" aria-
invalid="false" aria-required="false">
```

7
```
<button class="btn btn-secondary btn-sm style=";background-color:#ffffff!imp
ortant;color:#000000!important;" data-custom-button-processed="true"><span c
lass="d-none d-sm-inline>Search</span> <span class="material-symbols-outline
d>search</span></butto...
```

```
<span class="d-none d-sm-inline>Search</span>
```

```
<span class="material-symbols-outlined>search</span>
```

```
<div class="wp-block-group alignfull is-layout-constrained wp-container-core-group-is-layout-7a361b09 wp-block-group-is-layout-constrained has-background> <h2 class="wp-block-heading has-text-align-center alignwide style=";background-color:#ffffff!im...
```

#	Element	Relevant	Successes	Failures	Score
3	When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.	Yes	410	0	100

Code snapshots of successful elements

1
```
<div class="text-center d-lg-none"> <a class="btn btn-secondary flex-shrink-0" href="https://helphopelive.org/latest/" data-custom-button-processed="true">Read More Latest</a> </div>
```

2
```
<a class="btn btn-secondary flex-shrink-0" href="https://helphopelive.org/latest/" data-custom-button-processed="true">Read More Latest</a>
```

3
```
<div class="slick-slide" data-slick-index="4" aria-hidden="true" style="width: 292px;" tabindex="-1"><div><div class="slide text-center" style="width: 100%; display: inline-block;"> <div class="card mb-3> <div class="card-body"> <a href="https://prel...
```

4
```
<div><div class="slide text-center" style="width: 100%; display: inline-block;"> <div class="card mb-3> <div class="card-body"> <a href="https://preludesolutions.com/" target="_blank" class="wp-image-link" tabindex="-1" data-custom-button-processed="...
```

5
```
<div class="slide text-center" style="width: 100%; display: inline-block;"> <div class="card mb-3> <div class="card-body"> <a href="https://preludesolutions.com/" target="_blank" class="wp-image-link" tabindex="-1" data-custom-button-processed="true"...
```

6
```
<div class="card mb-3> <div class="card-body"> <a href="https://preludesolutions.com/" target="_blank" class="wp-image-link" tabindex="-1" data-custom-button-processed="true"><img loading="lazy" decoding="async" width="800" height="222" src="https://...
```

7
```
<div class="card-body"> <a href="https://preludesolutions.com/" target="_blank" class="wp-image-link" tabindex="-1" data-custom-button-processed="true"> <img loading="lazy" decoding="async" width="800" height="222" src="https://ik.imagekit.io/si8wvxbp...
```

```
<a href="https://preludesolutions.com/" target="_blank" class="wp-image-lin
k" tabindex="-1" data-custom-button-processed="true"><img loading="lazy" dec
oding="async" width="800" height="222" src="https://ik.imagekit.io/si8wvxbpw
m/hhl-live-uploads/wp-c...
```

```
<img loading="lazy" decoding="async" width="800" height="222" src="https://i
k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/Prelude
-Solutions-TM-Logo-800x222.png" class="attachment-partner_thumb size-partner
_thumb wp-post-image w...
```

```
<h3 class="fs-5 mb-1 role="presentation">Prelude Solutions</h3>
```

#	Element	Relevant	Successes	Failures	Score
4	Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose.	Yes	7	0	100

Code snapshots of successful elements

1
```
<button class="btn btn-secondary btn-sm style=";background-color:#ffffff!imp
ortant;color:#000000!important;" data-custom-button-processed="true"><span c
lass="d-none d-sm-inline>Search</span> <span class="material-symbols-outline
d>search</span></butto...
```

2
```
<button type="button" class="slick-prev slick-arrow slick-disabled aria-disa
bled="true" style="" data-custom-button-processed="true"><span class="materi
al-symbols-outlined>arrow_back_ios</span></button>
```

3
```
<button type="button" class="slick-next slick-arrow style="" aria-disabled
="false" data-custom-button-processed="true"><span class="material-symbols-o
utlined>arrow_forward_ios</span></button>
```

4
```
<button type="submit" id="gform_submit_button_1" class="gform_button button
data-submission-type="submit" style=";background-color:#ffffff!important;col
or:#000000!important;" data-custom-button-processed="true">Submit</button>
```

5
```
<a class="mega-menu-link aria-controls="mega-sub-menu-26394" role="button" s
tyle=";background-color:#ffffff!important;color:#000000!important;" data-cus
tom-button-processed="true">About Us<span class="mega-indicator style=";back
ground-color:#ffffff!i...
```

6
```
<a class="mega-menu-link aria-controls="mega-sub-menu-65247" role="button" s
tyle=";background-color:#ffffff!important;color:#000000!important;" data-cus
tom-button-processed="true">Get Involved<span class="mega-indicator style=";
background-color:#ffff...
```

7
```
<button type="button" class="search-toggle btn btn-sm btn-outline-white bord
er-0 aria-controls="header-search" aria-label="Search" data-custom-button-pr
ocessed="true"> <span class="material-symbols-outlined style=";background-co
lor:#ffffff!important;...
```

#	Element	Relevant	Successes	Failures	Score
5	If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.	Yes	7	0	100

Code snapshots of successful elements

1
```
<button class="btn btn-secondary btn-sm style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true"><span class="d-none d-sm-inline>Search</span> <span class="material-symbols-outlined>search</span></butto...
```

2
```
<button type="button" class="slick-prev slick-arrow slick-disabled aria-disabled="true" style="" data-custom-button-processed="true"><span class="material-symbols-outlined>arrow_back_ios</span></button>
```

3
```
<button type="button" class="slick-next slick-arrow style="" aria-disabled="false" data-custom-button-processed="true"><span class="material-symbols-outlined>arrow_forward_ios</span></button>
```

4
```
<button type="submit" id="gform_submit_button_1" class="gform_button button data-submission-type="submit" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Submit</button>
```

5
```
<a class="mega-menu-link aria-controls="mega-sub-menu-26394" role="button" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">About Us<span class="mega-indicator style=";background-color:#ffffff!i...
```

6
```
<a class="mega-menu-link aria-controls="mega-sub-menu-65247" role="button" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Get Involved<span class="mega-indicator style=";background-color:#ffff...
```

7
```
<button type="button" class="search-toggle btn btn-sm btn-outline-white border-0 aria-controls="header-search" aria-label="Search" data-custom-button-processed="true"> <span class="material-symbols-outlined style=";background-color:#ffffff!important;...
```

#	Element	Relevant	Successes	Failures	Score
6	Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a href="https://helphopelive.org/" rel="home" data-custom-button-processed
  ="true" aria-current="page"> <svg xmlns="http://www.w3.org/2000/svg" id="Lay
  er_1" data-name="Layer 1" viewBox="0 0 463 134.17"><defs><style>.cls-1,.cls-
  2{fill:#fff;stroke-widt...
```

#	Element	Relevant	Successes	Failures	Score
7	Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.	Yes	53	0	100

Code snapshots of successful elements

```
1 <a href="https://accessibe.com/blog/knowledgebase/screen-reader-guide" target="_blank" rel="noopener" tabindex="-1" class="acsb-sr-only" style="position: absolute; width: 200px; height: 1px; margin-top: -1px; z-index: -1; border: 0px; top: 0px; left:...
```

```
2 <a class="wp-block-button__link wp-element-button style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">How It Works</a>
```

```
3 <a href="https://helphopelive.org/campaigns/" class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Browse Campaigns</a>
```

```
4 <a href="https://helphopelive.org/get-involved/donate/" class="btn btn-outline-dark style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Donate</a>
```

```
5 <a class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Start A Campaign</a>
```

```
6 <a href="https://helphopelive.org/impact/" class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">More About Our Impact</a>
```

```
7 <a class="btn btn-secondary target="" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Read Patrick's Story of Hope</a>
```

```
8 <a class="btn btn-secondary flex-shrink-0 d-none d-lg-inline-block style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Read More Latest</a>
```

```
<a class="stretched-link badge rounded-pill text-reset bg-primary announcements style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true"> Announcements </a>
```

```
<a class="text-reset stretched-link rel="bookmark" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">New Survey Reveals Americans May Overestimate Health Insurance’s Ability to Prevent a Financia...
```

#	Element	Relevant	Successes	Failures	Score
8	Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	53	0	100

Code snapshots of successful elements

```
1 <a href="https://accessibe.com/blog/knowledgebase/screen-reader-guide" target="_blank" rel="noopener" tabindex="-1" class="acsb-sr-only" style="position: absolute; width: 200px; height: 1px; margin-top: -1px; z-index: -1; border: 0px; top: 0px; left:...
```

```
2 <a class="wp-block-button__link wp-element-button style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">How It Works</a>
```

```
3 <a href="https://helphopelive.org/campaigns/" class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Browse Campaigns</a>
```

```
4 <a href="https://helphopelive.org/get-involved/donate/" class="btn btn-outline-dark style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Donate</a>
```

```
5 <a class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Start A Campaign</a>
```

```
6 <a href="https://helphopelive.org/impact/" class="btn btn-secondary style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">More About Our Impact</a>
```

```
7 <a class="btn btn-secondary target="" style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Read Patrick's Story of Hope</a>
```

```
8 <a class="btn btn-secondary flex-shrink-0 d-none d-lg-inline-block style=";background-color:#ffffff!important;color:#000000!important;" data-custom-button-processed="true">Read More Latest</a>
```

```
9  <a class="stretched-link badge rounded-pill text-reset bg-primary announceme
   nts style=";background-color:#ffffff!important;color:#000000!important;" dat
   a-custom-button-processed="true"> Announcements </a>
```

```
10 <a class="text-reset stretched-link rel="bookmark" style=";background-colo
   r:#ffffff!important;color:#000000!important;" data-custom-button-processed
   ="true">New Survey Reveals Americans May Overestimate Health Insurance’s Ab
   ility to Prevent a Financia...
```

#	Element	Relevant	Successes	Failures	Score
9	Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification.	Yes	2	0	100

Code snapshots of successful elements

```
1  <button type="button" class="search-toggle btn btn-sm btn-outline-white bord
   er-0 aria-controls="header-search" aria-label="Search" data-custom-button-pr
   ocessed="true"> <span class="material-symbols-outlined style=";background-co
   lor:#ffffff!important;...
```

```
2  <a href="https://clients.helphopelive.org" target="_blank" rel="noopener" cl
   ass="login-btn btn btn-sm btn-outline-white border-0" title="Log in to your
   Help Hope Live Dashboard" aria-label="Log in to your Help Hope Live Dashboar
   d (opens in a new tab)...
```

#	Element	Relevant	Successes	Failures	Score
10	Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control.	Yes	2	0	100

Code snapshots of successful elements

```
1  <button class="btn btn-secondary btn-sm style=";background-color:#ffffff!imp
   ortant;color:#000000!important;" data-custom-button-processed="true"><span c
   lass="d-none d-sm-inline>Search</span> <span class="material-symbols-outline
   d>search</span></butto...
```

```
2  <button type="submit" id="gform_submit_button_1" class="gform_button button
   data-submission-type="submit" style=";background-color:#ffffff!important;col
   or:#000000!important;" data-custom-button-processed="true">Submit</button>
```

#	Element	Relevant	Successes	Failures	Score
11	If a field is marked as required only through visual cues, but lacks the required attribute or aria-required="true", screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <input name="input_4" id="input_1_4" type="email" value="" class="large" pla
   ceholder="Email" aria-required="true" aria-invalid="false">
```

#	Element	Relevant	Successes	Failures	Score
12	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	Yes	Pass	-	100

Code snapshots of successful elements

```
<span role="img" style="position: absolute !important; width: 1px !importan
t; height: 1px !important; padding: 0px !important; overflow: hidden !import
ant; clip: rect(0px, 0px, 0px, 0px) !important; border: 0px !important;" cla
ss="acsb-contrast">f1a0...
```

#	Element	Relevant	Successes	Failures	Score
13	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	Yes	7	0	100

Code snapshots of successful elements

```
1 <img decoding="async" src="https://helphopelive.org/wp-content/themes/helpho
  pelive/public/img/pledge-figure.jpg" alt="Help Hope Live" style="width: 40p
  x;">
```

```
2 <svg class="login-icon" xmlns="http://www.w3.org/2000/svg" viewBox="0 -960 9
  60 960" fill="currentColor" aria-hidden="true" focusable="false"><path d="M2
  34-276q51-39 114-61.5T480-360q69 0 132 22.5T726-276q35-41 54.5-93T800-480q0-
  133-93.5-226.5T480-800...
```

```
3 <svg class="svg-inline--fa fa-facebook-f" aria-hidden="true" focusable="fals
  e" data-prefix="fab" data-icon="facebook-f" role="img" xmlns="http://www.w3.
  org/2000/svg" viewBox="0 0 320 512" data-fa-i2svg=""><path fill="currentColo
  r" d="M80 299.3V512H19...
```

```
4 <svg class="svg-inline--fa fa-x-twitter" aria-hidden="true" focusable="fals
  e" data-prefix="fab" data-icon="x-twitter" role="img" xmlns="http://www.w3.o
  rg/2000/svg" viewBox="0 0 512 512" data-fa-i2svg=""><path fill="currentColo
  r" d="M389.2 48h70.6L305...
```

```
5 <svg class="svg-inline--fa fa-instagram" aria-hidden="true" focusable="fals
  e" data-prefix="fab" data-icon="instagram" role="img" xmlns="http://www.w3.o
  rg/2000/svg" viewBox="0 0 448 512" data-fa-i2svg=""><path fill="currentColo
  r" d="M224.1 141c-63.6 0...
```

```
6 <svg class="svg-inline--fa fa-youtube" aria-hidden="true" focusable="false"
  data-prefix="fab" data-icon="youtube" role="img" xmlns="http://www.w3.org/20
  00/svg" viewBox="0 0 576 512" data-fa-i2svg=""><path fill="currentColor" d
  ="M549.655 124.083c-6.28...
```

```
<svg class="svg-inline--fa fa-tiktok" aria-hidden="true" focusable="false" data-prefix="fab" data-icon="tiktok" role="img" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512" data-fa-i2svg=""><path fill="currentColor" d="M448,209.91a210.06,210.0...
```

#	Element	Relevant	Successes	Failures	Score
14	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	11	0	100

Code snapshots of successful elements

```
1 <img decoding="async" src="https://helphopelive.org/wp-content/themes/helphopelive/public/img/pledge-figure.jpg" alt="Help Hope Live" style="width: 40px;">

2 <img decoding="async" src="https://helphopelive.org/wp-content/themes/helphopelive/public/img/hhl-letters.jpg" alt="Help Hope Live" style="width: 120px;">

3 <img loading="lazy" decoding="async" width="1440" height="580" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2024/05/Home-Page-Get-Started-Rachael-Short--1440x580.jpg" class="rounded w-100 wp-image-38219" alt="A photo of ...

4 <img loading="lazy" decoding="async" width="1000" height="666" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/03/Pat-Hoey.jpg" class="w-100 wp-post-image wp-image-55567" alt="Patrick Hoey and family" srcset="https://i...

5 <img loading="lazy" decoding="async" width="416" height="86" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/ae-whole-logo.png" class="attachment-partner_thumb size-partner_thumb wp-post-image wp-image-30269" alt="a...

6 <img loading="lazy" decoding="async" width="230" height="81" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/Firstrust-Logo_RGB_PNG.png" class="attachment-partner_thumb size-partner_thumb wp-post-image wp-image-3602...

7 <img loading="lazy" decoding="async" width="444" height="224" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/logo-444x224.jpg" class="attachment-partner_thumb size-partner_thumb wp-post-image wp-image-30273" alt="g...
```

```
<img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/charity-navigator-logo.png" class="attachment-full size-full" alt="Charity Navigator FOUR-STAR logo" decoding="async" loading="lazy">
```

```
<img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/seal-of-transparency-logo.png" class="attachment-full size-full" alt="GuideStar Platinum Seal of Transparency" decoding="async" loading="...
```

```
<img width="85" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/bbb-accredited-charity-logo.png" class="attachment-full size-full" alt="BBB Accredited Charity" decoding="async" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
15	Text alternatives must provide accurate descriptions of the image. Incorrect text alternatives, such as filenames or other placeholder values, may cause screen reader users to either miss essential information or hear unnecessary content that disrupts navigation.	Yes	11	0	100

Code snapshots of successful elements

```
1  <img decoding="async" src="https://helphopelive.org/wp-content/themes/helpho
   pelive/public/img/pledge-figure.jpg" alt="Help Hope Live" style="width: 40p
   x;">
```

```
2  <img decoding="async" src="https://helphopelive.org/wp-content/themes/helpho
   pelive/public/img/hhl-letters.jpg" alt="Help Hope Live" style="width: 120p
   x;">
```

```
3  <img loading="lazy" decoding="async" width="1440" height="580" src="https://
   ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2024/05/Home-P
   age-Get-Started-Rachael-Short--1440x580.jpg" class="rounded w-100 wp-image-3
   8219" alt="A photo of ...
```

```
4  <img loading="lazy" decoding="async" width="1000" height="666" src="https://
   ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/03/Pat-Ho
   ey.jpg" class="w-100 wp-post-image wp-image-55567" alt="Patrick Hoey and fam
   ily" srcset="https://i...
```

```
5  <img loading="lazy" decoding="async" width="416" height="86" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/ae-whol
   e-logo.png" class="attachment-partner_thumb size-partner_thumb wp-post-image
   wp-image-30269" alt="a...
```

```
6  <img loading="lazy" decoding="async" width="230" height="81" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/Firstru
   st-Logo_RGB_PNG.png" class="attachment-partner_thumb size-partner_thumb wp-p
   ost-image wp-image-3602...
```

```
7  <img loading="lazy" decoding="async" width="444" height="224" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/logo-44
   4x224.jpg" class="attachment-partner_thumb size-partner_thumb wp-post-image
   wp-image-30273" alt="g...
```

```
<img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/charity-navigator-logo.png" class="attachment-full size-full" alt="Charity Navigator FOUR-STAR logo" decoding="async" loading="lazy">
```

```
<img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/seal-of-transparency-logo.png" class="attachment-full size-full" alt="GuideStar Platinum Seal of Transparency" decoding="async" loading="...
```

```
<img width="85" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/bbb-accredited-charity-logo.png" class="attachment-full size-full" alt="BBB Accredited Charity" decoding="async" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
16	When non-graphical elements are marked up as images, screen reader users may misunderstand the intended purpose of the content.	Yes	10	0	100

Code snapshots of successful elements

```
1  <img decoding="async" src="https://helphopelive.org/wp-content/themes/helpho
   pelive/public/img/pledge-figure.jpg" alt="Help Hope Live" style="width: 40p
   x;">
```

```
2  <img decoding="async" src="https://helphopelive.org/wp-content/themes/helpho
   pelive/public/img/hhl-letters.jpg" alt="Help Hope Live" style="width: 120p
   x;">
```

```
3  <img loading="lazy" decoding="async" width="1440" height="580" src="https://
   ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2024/05/Home-P
   age-Get-Started-Rachael-Short--1440x580.jpg" class="rounded w-100 wp-image-3
   8219" alt="A photo of ...
```

```
4  <img loading="lazy" decoding="async" width="1000" height="666" src="https://
   ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2026/03/Pat-Ho
   ey.jpg" class="w-100 wp-post-image wp-image-55567" alt="Patrick Hoey and fam
   ily" srcset="https://i...
```

```
5  <img loading="lazy" decoding="async" width="416" height="86" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/ae-whol
   e-logo.png" class="attachment-partner_thumb size-partner_thumb wp-post-image
   wp-image-30269" alt="a...
```

```
6  <img loading="lazy" decoding="async" width="230" height="81" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/Firstru
   st-Logo_RGB_PNG.png" class="attachment-partner_thumb size-partner_thumb wp-p
   ost-image wp-image-3602...
```

```
7  <img loading="lazy" decoding="async" width="444" height="224" src="https://i
   k.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/06/logo-44
   4x224.jpg" class="attachment-partner_thumb size-partner_thumb wp-post-image
   wp-image-30273" alt="g...
```

```
8 <img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/charity-navigator-logo.png" class="attachment-full size-full" alt="Charity Navigator FOUR-STAR logo" decoding="async" loading="lazy">
```

```
9 <img width="120" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/seal-of-transparency-logo.png" class="attachment-full size-full" alt="GuideStar Platinum Seal of Transparency" decoding="async" loading="...
```

```
10 <img width="85" height="120" src="https://ik.imagekit.io/si8wvxbpwm/hhl-live-uploads/wp-content/uploads/2023/10/bbb-accredited-charity-logo.png" class="attachment-full size-full" alt="BBB Accredited Charity" decoding="async" loading="lazy">
```

#	Element	Relevant	Successes	Failures	Score
17	Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="en-US" class="fontawesome-i2svg-active fontawesome-i2svg-complete style="--acsb-keynav: 3px;"><head> <!-- Google Tag Manager --> <script src="https://connect.facebook.net/signals/config/455858605381408?v=2.9.433&amp;r=stable&amp;domain=he...
```

#	Element	Relevant	Successes	Failures	Score
18	The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.	Yes	Pass	-	100

Code snapshots of successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
19	A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability.	Yes	Pass	-	100

Code snapshots of successful elements

```
<title>Medical Fundraising Site for Bills and Expenses - Help Hope Live</tit
le>
```

#	Element	Relevant	Successes	Failures	Score
20	Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page.	Yes	Pass	-	100

Code snapshots of successful elements

```
<title>Medical Fundraising Site for Bills and Expenses - Help Hope Live</title>
```

#	Element	Relevant	Successes	Failures	Score
21	Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions.	Yes	Pass	-	100

Code snapshots of successful elements

```
<div class="container" role="navigation" aria-label="Header Menu"> <div class="navbar-brand"> <a href="https://helphopelive.org/" rel="home" data-custom-button-processed="true" aria-current="page"> <svg xmlns="http://www.w3.org/2000/svg" id="Layer_1"...
```

#	Element	Relevant	Successes	Failures	Score
22	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <section class="hero home-hero overlay role="main"><span role="img" style="p
osition: absolute !important; width: 1px !important; height: 1px !important;
padding: 0px !important; overflow: hidden !important; clip: rect(0px, 0px, 0
px, 0px) !important; ...
```

#	Element	Relevant	Successes	Failures	Score
23	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <section class="hero home-hero overlay role="main"><span role="img" style="p
osition: absolute !important; width: 1px !important; height: 1px !important;
padding: 0px !important; overflow: hidden !important; clip: rect(0px, 0px, 0
px, 0px) !important; ...
```

#	Element	Relevant	Successes	Failures	Score
24	If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	Yes	3	0	100

Code snapshots of successful elements

```
1 <th scope="col" class="text-center border-start border-end border-top border
-primary style=";background-color:#ffffff!important;color:#000000!importan
t;"> <div class="d-flex flex-column flex-xl-row justify-content-center align
-items-center gap-2"> <i...
```

```
2 <th scope="col" class="text-center style=";background-color:#ffffff!importan
t;color:#000000!important;"> <h4 class="mb-0 role="heading" aria-level="3">C
rowdfunding Sites</h4> </th>
```

```
3 <th scope="col" role="columnheader"></th>
```

#	Element	Relevant	Successes	Failures	Score
25	When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <table class="table table-striped table-borderless"> <thead> <tr> <th scope
   ="col" role="columnheader"></th> <th scope="col" class="text-center border-s
   tart border-end border-top border-primary style=";background-color:#ffffff!i
   mportant;color:#000000!...
```

#	Element	Relevant	Successes	Failures	Score
26	Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data.	Yes	Pass	-	100

Code snapshots of successful elements

```
1  <table class="table table-striped table-borderless"> <thead> <tr> <th scope
   ="col" role="columnheader"></th> <th scope="col" class="text-center border-s
   tart border-end border-top border-primary style=";background-color:#ffffff!i
   mportant;color:#000000!...
```

#	Element	Relevant	Successes	Failures	Score
27	A navigation landmark should identify a section that contains primary links for moving through the site or page. Using navigation landmarks for minor or secondary link groups makes it harder for screen reader users to locate the page's key navigation areas.	Yes	3	1	75

Code snapshots of successful elements

```
1  <div class="container" role="navigation" aria-label="Header Menu"> <div clas
   s="navbar-brand"> <a href="https://helphopelive.org/" rel="home" data-custom
   -button-processed="true" aria-current="page"> <svg xmlns="http://www.w3.org/
   2000/svg" id="Layer_1"...
```

```
2  <div class="col-lg-5" role="navigation" aria-label="Help Hope Live"> <span c
   lass="fs-3 fw-medium role="heading" aria-level="2">Help Hope Live</span> <di
   v class="address mt-3 mb-4> 2 Radnor Corporate Center, Suite 100 <br> 100 Ma
   tsonford Road<br> Radn...
```

```
3  <div class="footer-menu mb-5" role="navigation" aria-label="Footer Menu"><ul
   id="menu-footer" class="menu"><li id="menu-item-63502" class="menu-item menu
   -item-type-post_type_archive menu-item-object-campaign menu-item-has-childre
   n menu-item-63502"><a...
```

Code snapshots of failed elements

```
1  <nav class="navbar navbar-expand-lg navbar-dark aria-label="Main Menu" role
   ="presentation"> <div class="container" role="navigation" aria-label="Header
   Menu"> <div class="navbar-brand"> <a href="https://helphopelive.org/" rel="h
   ome" data-custom-butto...
```

#	Element	Relevant	Successes	Failures	Score
28	If a table header cell is empty, screen reader users may only hear a generic label such as “column 3” or nothing at all. This makes it harder to understand what each column or row represents.	Yes	2	1	67

Code snapshots of successful elements

```
1  <th scope="col" class="text-center border-start border-end border-top border
   -primary style=";background-color:#ffffff!important;color:#000000!importan
   t;"> <div class="d-flex flex-column flex-xl-row justify-content-center align
   -items-center gap-2"> <i...
```

```
2  <th scope="col" class="text-center style=";background-color:#ffffff!importan
   t;color:#000000!important;"> <h4 class="mb-0 role="heading" aria-level="3">C
   rowdfunding Sites</h4> </th>
```

Code snapshots of failed elements

```
1  <th scope="col" role="columnheader"></th>
```

#	Element	Relevant	Successes	Failures	Score
29	An iframe needs a label that describes its purpose to screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
30	In most cases, using role=menu on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
31	In most cases, using role=menubar on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
32	In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. role="menuitem" should be used for menu items in menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
33	Make sure that no element has an autofocus attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
34	Using role="application" is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
36	A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
37	Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
38	Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
39	Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
40	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
41	Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
42	A slider should be operable with a single pointer	No	0	0	

#	Element	Relevant	Successes	Failures	Score
43	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
44	A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology	No	0	0	

#	Element	Relevant	Successes	Failures	Score
45	Using an <article> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
46	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
47	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
48	If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
49	A breadcrumb region presents a trail of links showing the user’s current page in relation to higher-level pages on a site. Without a label, it may be announced by screen reades simply as "navigation", making it hard to distinguish from other navigation regions on the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
50	Breadcrumb navigation regions are essential for user orientation. If not appropriately tagged, screen reader users will not know that such an option exists on the page and will face more difficulties browsing around.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
51	Elements with emphasis importance should have the emphasis role. If not, screen reader users may not understand the emphasis of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
52	Discounted prices often appear next to the original and distinguished with visual cues like strikethroughs or color changes. Both prices must also be conveyed by screen readers in a way that enables users to differentiate between the values, ensuring they can understand when a discount is applied.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
53	Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
54	An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
55	A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
56	Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
57	Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
58	Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
59	The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
60	Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists.	No	0	0	

WCAG Best Practices (Not included in score)

#	Element	Relevant	Successes	Failures	Score
1	Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <div class="modal fade" id="subscribe-modal" tabindex="-1" aria-labelledby
  ="subscribe-modal-label" aria-hidden="true"> <div class="modal-dialog modal-
  dialog-centered"> <div class="modal-content> <div class="modal-header"> <h3
  class="modal-title style...
```

#	Element	Relevant	Successes	Failures	Score
2	The element’s aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages.	Yes	6	0	100

Code snapshots of successful elements

1
```
<button aria-controls="mega-menu-primary" aria-label="Toggle Menu" class="me
ga-toggle-animated mega-toggle-animated-slider" type="button" data-custom-bu
tton-processed="true"> <span class="mega-toggle-animated-box"> <span class
="mega-toggle-animated-i...
```

2
```
<a class="mega-menu-link aria-controls="mega-sub-menu-26394" role="button" s
tyle=";background-color:#ffffff!important;color:#000000!important;" data-cus
tom-button-processed="true">About Us<span class="mega-indicator style=";back
ground-color:#ffffff!i...
```

3
```
<a class="mega-menu-link aria-controls="mega-sub-menu-36424" style=";backgro
und-color:#ffffff!important;color:#000000!important;" data-custom-button-pro
cessed="true">Fundraising<span class="mega-indicator style=";background-colo
r:#ffffff!important;co...
```

4
```
<a class="mega-menu-link aria-controls="mega-sub-menu-65247" role="button" s
tyle=";background-color:#ffffff!important;color:#000000!important;" data-cus
tom-button-processed="true">Get Involved<span class="mega-indicator style=";
background-color:#ffff...
```

5
```
<a class="mega-menu-link aria-controls="mega-sub-menu-63499" style=";backgro
und-color:#ffffff!important;color:#000000!important;" data-custom-button-pro
cessed="true">Resources<span class="mega-indicator style=";background-color:
#ffffff!important;colo...
```

6
```
<button type="button" class="search-toggle btn btn-sm btn-outline-white bord
er-0 aria-controls="header-search" aria-label="Search" data-custom-button-pr
ocessed="true"> <span class="material-symbols-outlined style=";background-co
lor:#ffffff!important;...
```

#	Element	Relevant	Successes	Failures	Score
3	The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a href="https://clients.helphopelive.org" target="_blank" rel="noopener" cl
ass="login-btn btn btn-sm btn-outline-white border-0" title="Log in to your
Help Hope Live Dashboard" aria-label="Log in to your Help Hope Live Dashboar
d (opens in a new tab)...
```

#	Element	Relevant	Successes	Failures	Score
4	Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <html lang="en-US" class="fontawesome-i2svg-active fontawesome-i2svg-complet
e style="--acsb-keynav: 3px;"><head> <!-- Google Tag Manager --> <script src
="https://connect.facebook.net/signals/config/455858605381408?v=2.9.433&amp;
r=stable&amp;domain=he...
```

#	Element	Relevant	Successes	Failures	Score
5	Providing a meta viewport to control layout and scaling on mobile devices	Yes	Pass	-	100

Code snapshots of successful elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

#	Element	Relevant	Successes	Failures	Score
6	The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.	Yes	Pass	-	100

Code snapshots of successful elements

```
<footer id="footer" role="contentinfo" class="acsb-bg-image> <div class="con
tainer"> <div class="newsletter-signup mb-5> <div class="row g-2 align-items
-center"> <div class="col-lg-4"> <div class="mb-3 mb-lg-0 fs-4 fw-bold role
="heading" aria-level="...
```

#	Element	Relevant	Successes	Failures	Score
7	When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.	Yes	Pass	-	100

Code snapshots of successful elements

```
<footer id="footer" role="contentinfo" class="acsb-bg-image> <div class="con
tainer"> <div class="newsletter-signup mb-5> <div class="row g-2 align-items
-center"> <div class="col-lg-4"> <div class="mb-3 mb-lg-0 fs-4 fw-bold role
="heading" aria-level="...
```

#	Element	Relevant	Successes	Failures	Score
8	If an element’s aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
9	It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
10	It's good practice to warn users about the expected behavior when activating a link triggers a mail application.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
11	It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
12	Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
13	Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label.	No	0	0	

This audit is subject to the **Terms of Service**